



THAI AGRICULTURAL STANDARD

TAS 9002-2016

**PESTICIDE RESIDUES: MAXIMUM
RESIDUE LIMITS**

National Bureau of Agricultural Commodity and Food Standards

Ministry of Agriculture and Cooperatives

ICS 67.040



THAI AGRICULTURAL STANDARD

TAS 9002-2016

**PESTICIDE RESIDUES: MAXIMUM
RESIDUE LIMITS**

**National Bureau of Agricultural Commodity and Food Standards
Ministry of Agriculture and Cooperatives
50 Phaholyothin Road, Chatuchak, Bangkok 10900
Tel. (662) 561 2277 Fax. (662) 561 3357
www.acfs.go.th**

**Published in the Royal Gazette, Announcement and General Publication, Volume 133,
Special Section 288 D**

Dated 13 December B.E. 2559 (2016)

**Technical Committee on the Elaboration of the Thai Agricultural Standard on
Maximum Residue Limits for Pesticide**

- | | | |
|-----|---|-------------|
| 1. | Director General of Department of Agriculture or the designator
Ms. Surmsuk Salakpetch | Chairperson |
| 2. | Representative of the Department of Medical Sciences, Ministry of Public Health
Ms. Kanokporn Atisook
Ms. Ladda Kaewklapanacharoen
Ms. Jitpaka Suntudrob | Member |
| 3. | Representative of the Office of the Consumer Protection Board
The Prime Minister's Office
Mr. Danai Hongsuraphan | Member |
| 4. | Representative of the Food and Drug Administration, Ministry of Public Health
Ms. Jureerat Huarkieat
Ms. Jirarat Tesasilp
Ms. Wanapa Sritanyaratana
Ms. Jarunee Wonglek | Member |
| 5. | Representative of the National Bureau of Agricultural Commodity and Food Standards
Mr. Pisan Pongsapitch
Ms. Namaporn Attaviroj | Member |
| 6. | Representative of the Office of Agricultural Regulation, Department of Agriculture
Mr. Thammanoon Kaewkhongkha | Member |
| 7. | Representative of the Agricultural Production Science Research and Development Division
Department of Agriculture
Ms. Lamai Chukiatwattana | Member |
| 8. | Representative of the Bureau of Livestock Standards and Certification
Department of Livestock Development
Ms. Thanida Harintharanon | Member |
| 9. | Representative of the Board of Trade of Thailand
Ms. Pojjanee Paniangvait. | Member |
| 10. | Representative of the Federation of Thai Industries
Mr. Charoen Kaowsuksai | Member |
| 11. | Representative of the Thai Agro Business Association
Mr. Weerayut Jirapanich
Ms. Natchaya Chumsawas | Member |
| 12. | Representative of the Thai Crop Protection Association
Ms. Chutima Rattanasathien | Member |

(3)

- | | |
|--|----------------------|
| 13. Associate Professor Songsak Srianuchart
Expert on pesticide residues | Member |
| 14. Ms. Nuansri Tayaputch
Expert on pesticide residues analysis | Member |
| 15. Representative of the Office of Standard Development
National Bureau of Agricultural Commodity and Food Standards
Ms. Panpilad Saikaew | Member and Secretary |

Ministry of Agriculture and Cooperatives by the recommendation of the Agricultural Standards Committee issued, on 16 October 2013, the Thai Agricultural Standard on Pesticide Residues: Maximum Residue Limits (TAS 9002-2013) which was published on 13 February 2014 in the Royal Gazette. As the regulations and information used as reference for the establishment of this standard have been amended and in order to update such standard to cover more key pesticide residues relating to agricultural commodities and food, the Ministry of Agriculture and Cooperatives deems it necessary to revise this standard by repealing TAS 9002- 2013 and replacing it with TAS 9002-2016.

The TAS 9002-2016 covers Maximum Residue Limits (MRLs) of 56 pesticides. Attachment 1 contains MRLs listed by individual pesticides, while Annex 1 listed by agricultural commodities for convenient use as references. The default limits are also established for pesticides of which the MRLs have not been set and the MRLs of such pesticides will additionally be notified at a later time.

This standard is based on the following documents:

Department of Agriculture. B.E.2553 (2010). Report of the studies on Supervised Residue Trials. 303 p.

ASEAN. 2015. Database of ASEAN Harmonised MRLs. Retrieved in October B.E. 2558 (2015) from <http://www.asean.org/asean-economic-community/asean-ministerial-meeting-on-agriculture-and-forestry-amaf/other-documents/>

FAO/WHO. 2015. Draft and Proposed Draft Maximum Residue Limits in Foods and Feeds, including Spices at Step 7 and 4 (CX/PR 05/47/5). Joint FAO/WHO Food Standard Programme, FAO, Rome.

FAO/WHO. 1993. Portion of Commodities to which Codex MRLs Apply and which is Analyzed (CAC/GL 41). Joint FAO/WHO Food Standard Programme, FAO, Rome.

WHO.1997. Guidelines for Predicting Dietary Intake of Pesticide Residues (revised). Prepared by the Global Environment Monitoring System – Food Contamination Monitoring and Assessment Programme (GEMS/Food) in collaboration with Codex Committee on Pesticide Residues, WHO/FSF/FOS/97.7, WHO, Geneva.



**NOTIFICATION OF THE MINISTRY OF AGRICULTURE AND COOPERATIVES
SUBJECT: THAI AGRICULTURAL STANDARD:
PESTICIDE RESIDUES: MAXIMUM RESIDUE LIMITS
UNDER THE AGRICULTURAL STANDARDS ACT B.E. 2551 (2008)**

Whereas it deems necessary to amend the agricultural standard on Pesticide Residues: Maximum Residue Limits under the Agricultural Standards Act B.E. 2551 (2008) so as to make it suitable to the present situation,

By virtue of Sections 5, 15 and 16 of the Agricultural Standards Act B.E. 2551(2008) and the decision of the Third Session of the Agricultural Standards Committee on 5 September B.E 2559 (2016), the Minister of Agriculture and Cooperatives hereby issues this Notification as follows:

1. The Notification of the Ministry of Agriculture and Cooperatives on the establishment of Thai Agricultural Standard: Pesticide Residues: Maximum Residue Limits under the Agricultural Standards Act B.E. 2551 (2008) dated 16 October B.E. 2556 (2013) is repealed.

2. The Thai Agricultural Standard: Pesticide Residues: Maximum Residue Limits (TAS 9002-2559) is established as a voluntary standard, details of which are attached herewith.

This notification shall come into force after the date of its publication in the Royal Gazette.

Notified on 20 October B.E. 2559 (2016)

General
(Chatchai Sarikulya)
Minister of Agriculture and Cooperatives

THAI AGRICULTURAL STANDARD
PESTICIDE RESIDUES: MAXIMUM RESIDUE LIMITS

1. SCOPE

1.1 This standard covers the establishment of Maximum Residue Limit for pesticide (MRL) in agricultural commodities used as food and feed. These MRLs are aimed to be the references for production, trade, control and inspection of agricultural commodities produced, imported and exported.

1.2 This standard does not cover the Extraneous Maximum Residue Limit for pesticide (EMRL) as established in the Thai Agricultural Standard on “Pesticide Residue: Extraneous Maximum Residue Limits” (TAS 9003).

2 DEFINITIONS

For the purpose of this standard:

2.1 Agricultural commodity means a produce or a product derived from agriculture, fishery, livestock, or forestry and any by-product of such produce or product. The agricultural commodity is used as food, feed, or for further processing as food and feed.

2.2 Pesticide¹ means any substance intended for preventing, destroying, attracting, repelling, or controlling any pest including unwanted species of plants or animals during the production, storage, transport, distribution and processing of food, agricultural commodities, or animal feeds or which may be administered to animals for the control of ectoparasites. The term includes substances intended for use as a plant-growth regulator, defoliant, desiccant, fruit thinning agent, or sprouting inhibitor and substances applied to crops either before or after harvest to protect the commodity from deterioration during storage and transport. The term normally excludes fertilizers, plant and animal nutrients, food additives, feed additives, and animal drugs.

2.3 Pesticide residue² means any specified substances in food, agricultural commodities, or animal feed resulting from the use of a pesticide. The term includes any derivatives of a pesticide, such as conversion products, metabolites, reaction products, and impurities considered to be of toxicological significance.

2.4 Maximum residue limit for pesticide (MRL) is the maximum concentration of a pesticide residue in agricultural commodity, stipulated by Agricultural Standards Committee. The concentration is, expressed in milligrams of pesticide residue per kilogram of agricultural commodity.

2.5 Extraneous maximum residue limit (EMRL) refers to the maximum residue limit for pesticide arising from former uses of pesticides that have been banned but, because of their persistent properties, they still contaminate or accumulate in environment for a long time and

¹ The definition of “pesticide” is provided by Codex Alimentarius Commission, Joint FAO/WHO Food Standards Programme; Codex.

² The definition of “pesticide residue” is provided by Codex.

their residues are still detected in agricultural commodities. Their maximum residue limits have been established in TAS 9003.

2.6 Definition of residues means pesticide residues which may be a single or combination of substances specified to analyse for compliance with MRLs established in this standard.

2.7 The type 4 hazardous substance is the hazardous substance of which the production, import, export, or having in possession is prohibited. The list of type 4 hazardous substances is in accordance with the Notification of the Ministry of Industry regarding the list of hazardous substances issued under the Hazardous Substance Act B.E. 2535 (1992) and its amendment B.E. 2551 (2008)

2.8 Default limit means an allowable limit of pesticide residues in agricultural commodity for pesticides of which MRLs have not been established. The concentration is, expressed in milligrams of pesticide residue per kilogram of agricultural commodity.

3. REQUIREMENTS

3.1 The pesticide residues detected in agricultural commodities shall not exceed the Maximum Residue Limits (MRLs) as established in Attachment 1 of this standard.

3.2 The extraneous pesticide residues detected in agricultural commodities shall not exceed the Extraneous Maximum Residue Limits (EMRLs) in accordance with TAS 9003, entitled “Pesticide Residue: Extraneous Maximum Residue Limit”.

3.3 The pesticide residues resulting from the use of pesticides stipulated as the type 4 hazardous substances in accordance with the Hazardous Substances Act B.E. 2535 (1992) and its amendment B.E. 2551 (2008) shall not be detected as listed in Attachment 2 of this standard.

3.4 Detected pesticide residues other than those described in Sections 3.1 to 3.3 shall not exceed the MRLs established by Codex Alimentarius Commission, Joint FAO/WHO Food Standard Programme; Codex^{3/}.

3.5 Detected pesticide residues other than those described in Sections 3.1 to 3.4 shall not exceed the default limit of 0.01 mg/kg, except for pesticides of which the default limits have specifically been established for plant commodities as listed in Attachment 3 of this standard.

4 METHOD OF SAMPLING AND PORTION OF AGRICULTURAL COMMODITY TO BE ANALYZED

4.1 Method of sampling shall comply with the TAS 9025 entitled “Methods of Sampling for the Determination of Pesticide Residues”.

4.2 As the MRLs are established for whole or part of raw agricultural commodity, e.g. whole fruit, shelled peanut, therefore, the portions of agricultural commodity for residue analysis shall refer to the Attachment 3 of TAS 9045 entitled “Classification of Agricultural Commodities:

³ These MRLs can be searched via URL <http://www.fao.org/fao-who-codexalimentarius/standards/pestres/en/>

Crop” and the Codex Alimentarius Guideline on Portion of Commodities to which Maximum Residue Limits Apply and which is Analyzed (CAC/GL 41-1993).

5. METHODS OF ANALYSIS

Methods of pesticide residue analysis shall be selected according to its sensitivity for detecting residue at or below the MRL and its performance characteristics according to one of the following criteria:

5.1 The method is issued by the national competent authority, or international standard organizations, or published in manuals or other publications or electronic media that is internationally recognised; or

5.2 The Method is validated through collaborative studies in accordance with internationally recognised guideline.

5.3 Where neither of the method mentioned in Section 5.1 nor 5.2 is available, the method shall be validated by single laboratory with quality system embedded. The validation shall follow the internationally recognised guideline.

ATTACHMENT 1

MAXIMUM RESIDUE LIMITS (MRLs)

(Section 3.1)

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Chlorpyrifos	Chlorpyrifos (fat soluble)	Okra	0.5
		Banana	2
		Rice, paddy	0.5
		Rice, husked and polished	0.1
		Spices, seeds	5
		Spices, fruits or berries	1
		Spices, roots or rhizomes	1
		Kale	1
		Rambutan	0.5
		Celery	0.05
		Soya bean (dry)	0.1
		Soya bean (immature seeds)	1
		Durian	0.4
		Oil Palm	0.05
		Lettuce, head	0.1
		Peppers, Chili	3
		Peppers, Chili (dried)	20
		Peppers, Sweet	2
		Eggplant and eggplant-like , except tomato	0.2
		Coconut	0.05
		Peanut	0.05
		Sweet potato	0.05
		Longan	0.9
		Litchi	2
		Shallot	0.2
		Onion, Bulb	0.2
		Mushroom	0.05
		Cattle meat	1 (fat)
		Meat of goats and sheep	1 (fat)
		Cattle, Edible offal of	0.01
		Edible offal of goat and sheep	0.01
		Pig meat	0.02 (fat)
		Pig, Edible offal of	0.01
Poultry meat	0.01(fat)		
Poultry, Edible offal of	0.01		
Eggs	0.01		
Milks	0.02		

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Chlorothalonil	<u>Plant commodities:</u> Chlorothalonil	Soya bean (dry)	0.2
		Soya bean (immature seeds)	2
	<u>Animal commodities:</u> 2,5,6- Trichloro-4-hydroxyisophthalonitrile	Chinese cabbage	1
		Broccoli, Chinese	4
		Tomato	5
		Potato	0.2
		Peanut	0.1
Carbaryl	Carbaryl	Lead tree leaves	0.02
		Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Maize	0.02
		Sorghum	10
		Rice, husked and polished	1
		Rambutan	1
		Watermelon	1
		Durian	30
		Oil Palm	0.05
		Brassica Vegetables	1
		Melon except watermelon	2
		Peppers, Chili	0.5
		Peppers, Chili (dried)	2
		Peppers, Sweet	5
		Coconut	1
		Mango	3
		Mangosteen	1
		Potato	0.2
		Cacao beans	0.02
		Peanut	2
		Cashew nut	1
		Longan	20
		Litchi	1
		Citrus fruit	7
		Sugar cane	0.05
		Grapes	0.5
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	1
		Poultry meat	0.05
		Eggs	0.05
		Milks	0.05

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Carbendazim / Benomyl	Sum of carbendazim, benomyl, thiophanate-methyl, expressed as carbendazim	Chives	3
		Rice, husked and polished	2
		Rambutan	3
		Spring onion	3
		Mung bean (dry)	0.5
		Soya bean (dry)	0.5
		Soya bean (immature seeds)	3
		Mulberry leaves	0.1
		Peppers, Chili	2
		Peppers, Chili (dried)	20
		Tomato	0.5
		Mango	2
		Cotton seed	0.1
		Peanut	0.1
		Asparagus	0.2
		Shallot	3
		Onion, Bulb	2
		Grapes	3
		Sugar cane	0.1
Cattle meat	0.05		
Edible offal (Mammalian)	0.05		
Carbendazim / Benomyl	Sum of carbendazim, benomyl, thiophanate-methyl, expressed as carbendazim	Poultry meat	0.05
		Poultry fats	0.05
		Poultry, Edible offal of	0.1
		Eggs	0.05
		Milks	0.05
Carbosulfan	Carbosulfan	Okra	0.5
		Lead tree leaves	0.2
		Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.05
		Sorghum	0.05
		Rice, husked and polished	0.2
		Rambutan	0.2
		Melon, except watermelon	0.5
		Watermelon	0.2
		Mung bean (dry)	0.05
		Yard-long bean (pods)	0.1
		Garden pea (young pods)	0.1
		Soya bean (dry)	0.05
Soya bean (immature seeds)	0.5		
Durian	0.2		

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Carbosulfan	Carbosulfan	Oil Palm	0.05
		Brassica Vegetables	0.5
		Peppers, Chili	0.5
		Peppers, Chili (dried)	5
		Eggplant and eggplant-like, except tomato	0.03
		Tomato	0.5
		Coconut	0.2
		Mangosteen	0.02
		Sweet potato	0.05
		Potato	0.05
		Coffee beans	0.05
		Cacao beans	0.05
		Sesame seed	0.2
		Sunflower seed	0.05
		Peanut	0.05
		Cotton seed	0.05
		Linseed	0.05
		Citrus fruit	0.1
		Asparagus	0.02
		Grapes	0.1
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.05
		Poultry, Edible offal of	0.05
Eggs	0.05		
Milks	0.05		
Carbosulfan	Sum of carbofuran, 3- hydroxycarbofuran expressed as carbofuran	Okra	0.15
		Lead tree leaves	0.2
		Sweet corn (corn-on-the-cob)	0.01
		Baby corn	0.01
		Maize	0.05
		Sorghum	0.1
		Rice, husked and polished	0.1
		Rambutan	0.05
		Mung bean (dry)	0.2
		Yard-long bean (pods)	0.1
		Garden pea (young pods)	0.15
		Soya bean (dry)	0.1
		Soya bean (immature seeds)	0.02
		Durian	0.02

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Carbosulfan	Sum of carbofuran, 3- hydroxycarbofuran expressed as carbofuran	Oil Palm	0.1
		Brassica Vegetables	0.03
		Citrus fruit	0.02
		Peppers, Chili	0.5
		Peppers, Chili (dried)	2
		Eggplant and eggplant-like commodities, except tomato	0.1
		Tomato	0.1
		Coconut	0.02
		Mangosteen	2
		Coffee beans	1
		Cacao beans	0.05
		Sesame seed	0.1
		Peanut	0.1
		Sunflower seed	0.05
		Cotton seed	0.1
		Linseed	0.1
		Asparagus	0.06
		Grapes	0.02
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.01
Poultry, Edible offal of	0.01		
Eggs	0.01		
Milks	0.01		
Captan	Captan	Barley	0.02
		Soya bean (dry)	5
		Soya bean (immature seeds)	5
		Oil Palm	5
		Mango	5
		Cotton seed	5
		Peanut	5
		Grapes	10
Quintozene	<u>Plant commodities:</u> quintozene (fat soluble) <u>Animal commodities:</u> sum of penta-chloroaniline and methyl	Spices, seeds	0.1
		Spices, fruits or berries	0.02
		Spices, roots or rhizomes	2

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
	pentachlorophenyl sulphide, expressed as quintozone		
Clothianidin	Clothianidin	Durian	0.9
Sulfuryl Fluoride	Sulfuryl Fluoride	Rice, husked and polished	0.1
Cypermethrin	Cypermethrin (sum of isomers) (fat soluble)	Okra	0.5
		Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.05
		Spices, fruits or berries	0.1
		Spices, roots or rhizomes	0.2
		Yard-long bean (pods)	0.7
		Garden pea (young pods)	0.05
		Soya bean (dry)	0.05
		Soya bean (immature seeds)	5
		Durian	1
		Brassica Vegetables	1
		Peppers, Chili	2
		Peppers, Chili (dried)	10
		Tomato	0.2
		Eggplant and Eggplant-Like, Except Tomato	0.03
		Mango	0.7
		Papaya	0.5
		Cotton Seed	0.1
		Longan	1
		Litchi	2
		Citrus Fruit, Except Pummelo and Grapefruit	0.3
		Grapefruit	0.5
		Pummelo	0.5
		Asparagus	0.4
		Shallot	0.1
		Onion, Bulb	0.01
		Sugar cane	0.2
		Meat (from mammals other than marine mammals)	2 (fat)
		Edible offal (Mammalian)	0.05
Cypermethrin	Cypermethrin (sum of isomers) (fat soluble)	Poultry meat	0.1(fat)
		Poultry, Edible offal of	0.05
		Poultry fats	0.1

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
		Eggs	0.05
		Milks	0.05F
2,4-D	Sum of 2,4-D and its salts and esters, expressed as 2,4-D	Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.05
		Sorghum	0.01
		Rice, husked and polished	0.1
		Spring onion	0.05
		Pineapple	0.05
		Meat (from mammals other than marine mammals)	0.2
		Edible offal (Mammalian)	1
		Poultry meat	0.05
		Poultry, Edible offal of	0.05
		Eggs	0.01
		Milks	0.01
		Deltamethrin	Sum of alpha-R and trans- deltamethrin (fat soluble)
Banana	0.05		
Baby corn	0.02		
Maize	1		
Sweet corn (corn-on-the-cob)	0.02		
Spring onion	0.5		
Yard-long bean (pods)	0.2		
Oil Palm	0.05		
Flowering white cabbage	2		
Chinese cabbage	2		
Broccoli, Chinese	2		
Brassica vegetables, except Chinese Cabbages, flowering white cabbage and broccoli, Chinese	0.1		
Peppers, Chili	0.1		
Peppers, Chili (dried)	1		
Tomato	0.3		
Mango	0.2		
Coffee beans	2		
Cacao beans	0.05		
Peanut	0.01		
Cotton seed	0.05		
Cashew nut	0.02		
Pineapple	0.01		
Asparagus	0.1		
Shallot	0.1		

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Deltamethrin	Sum of alpha-R and trans- deltamethrin (fat soluble)	Onion, Bulb	0.05
		Sugar cane	0.05
		Cattle meat	0.5 (fat)
		Meat of goats and sheep	0.5 (fat)
		Cattle, edible offal of	0.03
		Edible offal of Goat and Sheep	0.03
		Pig meat	0.5 (fat)
		Pig, edible offal of	0.03
		Poultry meat	0.1 (fat)
		Poultry, edible offal of	0.02
		Poultry fats	0.1 (fat)
		Eggs	0.02
		Milks	0.05 F
Dichlorvos	Dichlorvos	Spices, entire group	0.1
		Citrus fruit	0.2
		Cereal grains	0.2
		Meat (from mammals other than marine mammals)	0.05
		Poultry meat	0.05
		Milks	0.02
Dicofol	<u>Plant commodities :</u> dicofol (sum of o,p' & p,p'-isomers) (fat soluble) <u>Animal commodities :</u> sum of dicofol and (2,2-dichloro-1, 1-bis (4- chlorophenyl) ethanol(p,p' – FW 152), expressed as dicofol (fat soluble)	Spices, seeds	0.05
		Spices, fruits or berries	0.1
		Spices, roots or rhizomes	0.1
		Cucumber	0.5
		Mung bean (dry)	0.1
		Soya bean (dry)	0.05
		Tomato	1
		Cattle meat	3 (fat)
		Cattle, edible offal of	1
		Poultry meat	0.1 (fat)
		Poultry, edible offal of	0.05
		Eggs	0.05
Milks	0.1F		
Group of dithiocarbamates: zineb, ziram, thiram, propineb, maneb and mancozeb	dithiocarbamate, determined and expresses as CS ₂	Okra	0.2
		Garlic	0.5
		Rice, husked and polished	0.05
		Rambutan	2
		Spring onion	10
		Cucumber	2
		Muskmelon	0.5

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
		Watermelon	1
		Melon except cucumber and watermelon	0.5
		Soya bean (dry)	0.1
		Soya bean (immature seeds)	0.2
		Longan	15
		Durian	2
		Oil Palm	0.1
		Chinese cabbage	5
		Broccoli, Chinese	15
		Water Spinach	0.3
		Taro	0.1
		Peppers, Chili	3
		Peppers, Sweet	1
		Peppers, Chili (dried)	20
		Pumpkins	0.2
		Tomato	2
		Mango	2
		Potato	0.2
		Peanut	0.1
		Citrus fruit	2
		Asparagus	0.1
		Shallot	0.5
		Onion, Bulb	0.5
		Grapes	2
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.1
		Poultry meat	0.1
		Poultry, Edible offal of	0.1
		Eggs	0.05
		Milks	0.05
Dinotefuran	<u>Plant commodities:</u> dinotefuran <u>Animal commodities:</u> Sum of dinotefuran 1-methyl-3-(tetrahydro-3-furylmethyl)urea), expressed as dinotefuran	Mango	0.5

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Difenoconazole	<u>Plant commodities:</u> difenoconazole (fat soluble) <u>Animal commodities:</u> sum of difenoconazole and metabolite CGA 205375, expressed as difenoconazole (fat soluble)	Mango	0.6
Dimethoate	Dimethoate	Sorghum	0.01
		Spices, seeds	5
		Spices, fruits or berries	0.5
		Spices, roots or rhizomes	0.1
		Cucumber	1
		Muskmelon	1
		Yard-long bean (pods)	0.05
		Bean (dry)	0.1
		Tomato	2
		Cotton seed	0.05
		Citrus fruit	5
		Shallot	0.05
		Onion, Bulb	0.05
		Meat (from mammals other than marine mammals)	0.05
		Fat (Mammalian)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.05
		Poultry fats	0.05
		Poultry, Edible offal of	0.05
Eggs	0.05		
Milks	0.05		
Diazinon	Diazinon (fat soluble)	Sweet corn (corn-on-the-cob)	0.02
		Baby corn	0.02
		Maize	0.02
		Sorghum	0.02
		Spices, seeds	5
		Spices, fruits or berries	0.1
		Spices, roots or rhizomes	0.5
		Tea	0.1
		Chinese cabbage	0.05
		Broccoli, Chinese	0.05
		Brassica Vegetables except Chinese cabbage and Broccoli, Chinese	0.5

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Diazinon	Diazinon (fat soluble)	Coffee beans	0.2
		Cotton seed	0.1
		Meat (from mammals other than marine mammals)	2 (fat)
		Edible offal (Mammalian)	0.03
		Poultry meat	0.02
		Poultry, Edible offal of	0.02
		Eggs	0.02
		Milks	0.02 F
Triazophos	Triazophos	Garlic	0.05
		Sorghum	0.05
		Spices, fruits or berries	0.07
		Spices, roots or rhizomes	0.1
		Mung bean (dry)	0.2
		Yard-long bean (pods)	0.4
		Soya bean (dry)	0.05
		Soya bean (succulent seeds)	0.5
		Soya bean (succulent seeds in pods)	1
		jujube, Indian	0.03
		Coffee beans	0.05
		Peanut	0.05
		Cacao beans	0.05
		Sesame seed	0.05
		Sunflower seed	0.05
		Shallot	0.05
		Onion, Bulb	0.05
		Grapes	0.02
		Cattle meat	0.01
		Poultry meat	0.01
Milks	0.01		
Tebuconazole	Tebuconazole (fat soluble)	Onion, Bulb	0.1
Thiamethoxam	Thiamethoxam	Mango	0.2
	Clothianidin	Mango	0.04
Buprofezin	Buprofezin	Cotton seed	0.35
Paraquat	Paraquat cation	Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.03
		Sorghum	0.03
		Rice, paddy	0.05

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Paraquat	Paraquat cation	Rice, husked and polished	0.05
		Bean (dry) except soya bean (dry)	0.5
		Soya bean (dry)	0.1
		Fruit (inedible peel), except Citrus fruit	0.01
		Leafy vegetables	0.07
		Fruiting vegetables, cucurbits	0.02
		Root and tuber vegetables	0.05
		Tomato	0.05
		Potato	0.05
		Cotton seed	2
		Strawberry	0.01
		Citrus fruit	0.02
		Grapes	0.01
		Meat (from mammals other than marine mammals)	0.005
		Edible offal (Mammalian)	0.05
		Poultry meat	0.005
		Poultry, Edible offal of	0.005
		Eggs	0.005
Milks	0.005		
Pirimiphos-l methy	Pirimiphos-methyl (fat soluble)	Sweet corn (corn-on-the-cob)	1
		Baby corn	1
		Maize	1
		Rice, paddy	7
		Rice, husked and polished	5
		Spices, seeds	3
		Spices, fruits or berries	0.5
		Oil Palm	0.1
		Cacao beans	0.05
		Kapok seed	0.1
		Cashew nut	0.1
		Meat (from mammals other than marine mammals)	0.01
		Edible offal (Mammalian)	0.01
		Poultry meat	0.01
		Poultry, Edible offal of	0.01
		Eggs	0.01
		Milks	0.01

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
Permethrin	Sum isomers of permethrin (fat soluble)	Spices, entire group	0.05
Prochloraz	Sum of prochloraz and its metabolite containing the 2,4,6- trichlorphenol	Mango	7
Prothiofos	Prothiofos moiety, expressed as prochloraz	Mung bean (dry)	0.05
		Peppers, Chili	3
		Peppers, Chili (dried)	20
		Potato	0.05
		Peanut	0.05
Profenofos	Profenofos (fat soluble)	Cabbages, Head	1
		Rose apple	0.05
		Spring onion	0.05
		Soya bean (dry)	0.05
		Durian	0.05
		Cotton seed oil	0.05
		Citrus fruit except pummelos and lime	0.1
		Brassica Vegetables except Cabbage, Head	0.5
		Peppers, Chili	3
		Peppers, Sweet	0.5
		Peppers, Chili (dried)	20
		Tomato	10
		Lime	0.05
		Mango	0.2
		Mangosteen	10
		Potato	0.05
		Cotton seed	3
		Pummelos	2
		Shallot	0.05
		Onion, Bulb	0.05
		Grapes	0.05
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.05
Poultry, Edible offal of	0.05		
Eggs	0.02		
Milks	0.01		
Fipronil	Plant commodities: fipronil (fat soluble)	Basil	0.2
		Rice,paddy	0.01
	Animal commodities: Sum of fipronil and	Rice, husked and polished	0.01
		Yard-long bean (pods)	0.04

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
	fipronil sulfone, expressed as fipronil (fat soluble)	Cotton seed	0.01
		Basil	0.2
Famoxadone	Famoxadone (fat soluble)	Potato Sum of fipronil and fipronil sulfone, expressed as fipronil (fat soluble)	0.02
Fenvalerate	Sum isomers of fenvalerate (fat soluble)	Cabbage,head	3
		Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Yard-long bean (pods)	1
		Soya bean (dry)	0.1
		Oil Palm	0.5
		Chinese cabbage	1
		Broccoli, Chinese	3
		Brassica Vegetables, except Chinese cabbage and Broccoli, Chinese	2
		Tomato	1
		Mango	1.5
		Potato	0.05
		Cotton seed	0.2
		Peanut	0.1
		Longan	1
		Litchi	1
		Meat (from mammals other than marine mammals)	1 (fat)
		Edible offal (Mammalian)	0.02
Milks	0.1 F		
Fenitrothion	Fenitrothion	Sweet corn (corn-on-the-cob)	1
		Baby corn	1
		Maize	1
		Rice,paddy	6
		Rice, husked and polished	1
		Spices, seeds	7
		Spices, fruits or berries	1
		Spices, roots or rhizomes	0.1
		Tea	0.5
		Soya bean (dry)	0.5
		Soya bean (immature seeds)	0.5
		Coffee beans	0.05
		Meat (from mammals other than marine mammals)	0.05

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
		Poultry meat	0.05
		Eggs	0.05
		Milks	0.01
Phosalone	Phosalone (fat soluble)	Spices, seeds	2
		Spices, fruits or berries	2
		Spices, roots or rhizomes	3
		Spring onion	0.5
		Yard-long bean (pods)	0.5
		Garden pea (young pods)	0.5
		Soya bean (dry)	0.05
		Soya bean (immature seeds)	0.5
		Durian	1
		Mulberry leaves	0.1
		Brassica Vegetables	0.5
		Peppers, Chili	0.5
		Peppers, Sweet	0.5
		Peppers, Chili (dried)	4
		Tomato	0.5
		Eggplant and eggplat-like except tomato	0.5
		Citrus fruit	1
		Mangosteen	1
		Cotton seed	1
		Asparagus	0.5
Shallot	0.5		
Onion, Bulb	0.5		
Folpet	Folpet	Rambutan	0.1
Phenthoate	Phenthoate (fat soluble)	Spices, seeds	7
Malathion	Malathion (fat soluble)	Cauliflower	0.5
		Cabbage,head	8
		Sweet corn (corn-on-the-cob)	0.02
		Baby corn	0.02
		Maize	0.05
		Sorghum	3
		Spices, seeds	2
		Spices, fruits or berries	1
		Spices, roots or rhizomes	0.5
		Spring onion	5
		Brocoli	5
		Citrus fruit except pummelo	7
		Chinese cabbage	8
Brocoli,chinese	3		

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
		Peppers, Chili	0.1
		Peppers, Chili (dried)	1
		Tomato	0.5
		Cassava	0.5
		Pummelo	0.2
		Shallot	1
		Onion, Bulb	1
		Sugar cane	0.02
Metalaxyl or metalaxyl M	Metalaxyl	Sweet corn (corn-on-the-cob)	0.05
		Baby corn	0.05
		Maize	0.05
		Spices, seeds	5
		Cucumber	0.5
		Mulkmelon	0.2
		Watermelon	0.2
		Cucumber	0.5
		Durian	0.5
		Angled loofah	0.2
		Citrus fruit	5
		Brocolo,chinese	2
		Water spinach	2
		Taro	0.5
		Pepper,Black;white	0.05
		Betel leaves	0.05
		Pumpkins	0.2
		Wax gourd	0.2
		Tomato	0.2
		Potato	0.05
Pineapple	0.1		
Onion, Bulb	2		
Grapes	1		
Methidathion	Methidathion	Rambutan	0.2
		Durian	0.2
		Custard apple	0.2
		Citrus fruit	0.5
		Pear	0.1
		Grapes	0.1
		Apple	0.1
		Meat (from mammals other than marine mammals)	0.02
		Edible offal (Mammalian)	0.02
		Poultry meat	0.02
		Poultry, Edible offal of	0.02

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
		Eggs	0.02
		Milks	0.001
Methyl bromide	Bromide ion from methyl bromide from other source, except covalently bound bromine	Rice, husked and polished	50
		Rice, husked and polished (At the entrance or at the point of the gas outlet to the rice, husked and polished contact with air for at least 24 hours)	1
		Rice, husked and polished at sale point	0.01
Methomyl	Sum of methomyl and thiodicarb, expressed as methomyl	Okra	0.5
		Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Maize	0.02
		Sorghum	0.02
		Melon except watermelon	0.1
		Watermelon	0.1
		Mung bean (dry)	0.05
		Yard-long bean (pods)	1
		Soya bean (dry)	0.2
		Soya bean (immature seeds)	0.5
		Soya bean oil	0.2
		Cotton seed oil	0.04
		Citrus fruit	1
		Pear	0.3
		Peppers, Chili	1
		Peppers, Chili (dried)	10
		Tomato	1
		Eggplant and eggplant-like except tomato	0.2
		Potato	0.02
		Sesame seed	0.2
		Cotton seed	0.2
		Peanut	0.1
		Asparagus	2
		Shallot	0.2
		Onion, Bulb	0.2
		Grapes	0.3
		Apple	0.3
Meat (from mammals other than marine mammals)	0.02		
Edible offal (Mammalian)	0.02		
Methomyl	Sum of methomyl and	Poultry meat	0.02

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
	thiodicarb, expressed as methomyl	Poultry, Edible offal of	0.02
		Eggs	0.02
		Milk	0.02
Lambda-cyhalothrin	Sum of isomers cyhalothrin (fat soluble)	Okra	0.03
		Basil	0.7
		Sorghum	0.2
		Rambutan	0.5
		Mung bean (dry)	0.2
		Soya bean (dry)	0.2
		Soya bean (immature seeds)	0.2
		Durian	0.5
		Oil Palm	0.2
		Brassica Vegetables, except	0.3
		Broccoli and cauliflower	0.5
		Peppers, Chili	0.3
		Peppers, Sweet	0.3
		Peppers, Chili (dried)	3
		Mango	0.2
		Eggplant and eggplant-like except tomato	0.3
		Tomato	0.3
Lambda-cyhalothrin	Sum of isomers cyhalothrin (fat soluble)	Cacao beans	0.02
		Sesame seed	0.2
		Kapok seed	0.02
		Cotton seed	0.02
		Basil	0.7
		Basil	0.7
		Longan	0.2
		Litchi	0.5
		Asparagus	0.02
		Basil	0.7
Azoxystrobin	Azoxystrobin (fat soluble)	Mango	0.7
Acephate	Acephate	Rice,paddy	1
		Rice, husked and polished	1
		Spices, entire group	0.2
		Mung bean (dry)	0.3
		Soya bean (dry)	0.3
		Potato	0.5
		Coffee beans	0.05
		Cacao beans	0.05
		Cotton seed	2
		Peanut	0.2

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
		Meat (from mammals other than marine mammals)	0.05
		Edible offal (Mammalian)	0.05
		Poultry meat	0.01
		Poultry, Edible offal of	0.01
		Eggs	0.01
		Milks	0.02
Atrazine	Atrazine	Sweet corn (corn-on-the-cob)	0.1
		Baby corn	0.1
		Maize	0.1
		Pineapple	0.1
		Sugar cane	0.1
Abamectin	Avermectin B1 A (fat soluble)	Watermelon	0.01
		Yard-long bean (pods)	0.01
		Garden pea (young pods)	0.01
		Flowering white cabbage	0.01
		Broccoli,chinese	0.01
		Brassica Vegetables except Flowering white cabbage and Broccoli,chinese	0.01
		Peppers, Chili	0.005
		Peppers, Sweet	0.09
		Peppers, Chili (dried)	0.5
		Thai egg plant	0.02
		Cotton seed	0.01
		Citrus fruit	0.01
		Meat (from mammals other than marine mammals)	0.01
		Fat (mammalian)	0.1
		Edible offal (mammalian)	0.1
		Poultry meat	0.01
		Poultry, Edible offal of	0.02
		Eggs	0.01
Milks	0.005		
Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methyl formamidine, expressed as N'-methyl formamidine	Longan	2
Ametryn	Ametryn	Tea	0.05
		Coffee beans	0.05
		Pineapple	0.05
		Sugar cane	0.05
Imidacloprid	Sum of imidacloprid	Basil	20

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
	and metabolites of 6-chloropyridinyl moiety, expressed as imidacloprid	Okra	0.1
		Rice,paddy	0.05
		Rice, husked and polished	0.05
		Mango	0.4
		Mangosteen	0.4
		Basil	20
		Basil	20
		Longan	0.8
		Mandarins	1
		Basil	20
Ethephon	<u>Plant commodities and animal: ethephon (cereal grain: ethephon and conjugates), expressed as ethephon)</u>	Banana	2
		Cherry	3
		Durian	2
		Mango	2
		Pineapple	2
		Grapes	1
		Apple	1
		Meat (from mammals other than marine mammals)	0.1
		Edible offal (Mammalian)	0.2
		Poultry meat	0.1
		Poultry, Edible offal of	0.2
		Eggs	0.2
		Milks	0.05
Ethion	Ethion (fat soluble)	Spices, seeds	3
		Spices, fruits or berries	5
		Spices, roots or rhizomes	0.3
		Bean (dry)	0.1
		Bean and Peas (green pods and immature seeds)	0.3
		Peppers, Chili	3
		Peppers,Chili (dried)	20
		Lime	1
		Mandarins	2
		Pummelo	1
Iprodione	Iprodione	Spices, seeds	0.05
		Spices, roots or rhizomes	0.1
Omethoate	Omethoate	Lead tree leaves	0.05
		Mung bean (dry)	0.05
		Yard-long bean (pods)	0.05
		Soya bean (dry)	0.05
Omethoate	Omethoate	Cassava	0.02

Pesticide	Definition of residue	Commodity	MRL (mg/kg)
		Coffee beans	0.05
		Cotton seed	0.05
Hydrogen Phosphide (aluminum phosphide) or Magnesium phosphide or phosphine	Hydrogen Phosphide	Rice, husked and polished	0.1

Explanatory notes

- Spices, Seeds: include, but not limited to, coriander seed, culantro seed, celery seed, cumin seed.
- Spices, Fruits or Berries: include, but not limited to, white and black peppers, immature peppers, laurel, star anise.
- Spices, Roots or Rhizomes: include, but not limited to, ginger, galangal, tumeric, fingerroot, coriander root.
- Spices: include seeds, fruits or berries, roots or rhizomes, bark (such as cinnamon bark), buds (such as cloves) and all other spices.
- Paddy means unhusked non-glutinous or glutinous rice.
- Rice, Husked and Polished means rice of which only the husk has been removed (brown rice) or parts of the bran layer has been removed (white rice).
- Peppers, Chili (dried) means dried chili peppers such as bird chili peppers, long peppers, bell peppers.
- Brassica vegetables include flowerhead, head and stem brassica (e.g. cabbages, cauliflower, broccoli, Flowering white cabbage) and Brassica leafy vegetables (e.g. Chinese Broccoli/ Chinese kale, Chinese cabbage, type Pe-tsai, mustard green, lettuce) .
- Citrus fruits include various types of citrus (e.g. mandarin, pummelo) and lime.
- Eggplant and Eggplant-like, except tomato: include, but not limited to, Thai egg plant, pea egg plant, aubergines.
- Explanatory note for agricultural commodity classification: crop can be found in TAS 9045.
- (fat) indicated after the MRLs of fat-soluble pesticide residues on meat means the MRLs applied to fat portion of such meat.
- “F” indicated after the MRLs for fat-soluble pesticide residues on milk means the MRLs for milk and milk products, expressed by weight of whole product based. In addition, the application of MRLs on milk indicated with “F” for milk and milk products shall consider criteria as follows:
 - (1) For a fat content less than 2 %, the applied MRLs should be one-half of those specified for milk.
 - (2) For a fat content of 2 % or more, the applied MRLs should be 25 times of the established MRLs for milk, compared with the result of milk or whole products based, expressed on a fat basis.

ATTACHMENT 2**LIST OF PESTICIDES OF WHICH RESIDUES NOT TO BE DETECTED**

(Section 3.3)

1. 2,4,5-T or 2,4,5-trichlorophenoxy acetic acid
2. 2,4,5-TCP or 2,4,5-trichlorophenol
3. 2,4,5-TP or (\pm)-2-(2,4,5-trichlorophenoxy) propionic acid
4. 4-(4-chloro-o-tolyloxy) butyric acid or MCPB
5. Chlordimeform
6. Chlordecone
7. Chlorthiophos
8. Chlorobenzilate
9. Chlorophenol
10. Copper arsenate hydroxide or หรือ copper (II) arsenate
11. Carbon tetrachloride or tetrachloromethane
12. Captafol
13. calcium arsenate
14. Sulfotep
15. Safrole
16. Sodium chlorate
17. Sodium arsenite
18. Cycloheximide
19. Cyhexatin
20. Daminozide
21. DBCP or 1,2-dibromo-3-chloropropane
22. Demeton
23. Demephion
24. Dicrotophos
25. 4,6-dinitro-o-cresol or DNOC
26. Disulfoton
27. Dinoseb
28. Dinoterb
29. Dimefox
30. Toxaphene or camphechlor

31. TEPP or tetraethyl pyrophosphate
32. Thallium sulfate
33. Nitrofen
34. Beta-HCH or หรือ 1,3,5/2,4,6-hexachlorocyclohexane
35. BHC(benzene hexachloride) or HCH(hexachlorocyclohexane)
36. Benzidine
37. Bromophos
38. Bromophos-ethyl
39. Binapacryl
40. Paris green
41. Parathion
42. Parathion-methyl
43. Pentachlorophenate sodium or pentachlorophenoxide sodium
44. Pentachlorophenol
45. Prothoate
46. Pyrinuron or piriminil
47. Fluoroacetate sodium
48. Fluoroacetamide
49. Phosphamidon (E)+(Z)-isomers
50. Phosphamidon (Z)-isomer
51. Phosphamidon (E)-isomer
52. Phenothiol or MCPA-thioethyl or S-ethyl 4-chloro-o-tolyloxythioacetate
53. Fensulfothion
54. Fentin
55. Fonofos (unstate stereochemistry)
56. Fonofos (racemate)
57. Fonofos ®-isomer
58. Fonofos (S)-isomer
59. Phorate
60. Methamidophos
61. Mecoprop (unstated stereochemistry)
62. Mecoprop (racemate)
63. Mephosfolan
64. Mevinphos
65. Monocrotophos

66. Mirex
67. Lead arsenate
68. Leptophos
69. Strobane or polychloroterpenes insecticide
70. Azinphos-methyl
71. Azinphos-ethyl
72. Amitrole
73. Aminocarb
74. Aramite
75. EDB or ethylene dibromide
76. EPN or O-ethyl O-4-nitrophenyl phenylphosphonothioate or O-ethyl O-*p*-nitrophenyl phenylphosphorothioate
77. Ethyl hexaleneglycol or ethyl hexane diol or ethohexadiol
78. Ethylene dichloride or 1,2-dichloroethane
79. Ethylene oxide or 1,2-epoxyethane
80. Endosulfan
81. MGK repellent-11 or 1,5a,6,9,9a,9b-hexahydro-4a(4H)-dibenzofurancarboxaldehyde)
82. Hexachlorobenzene

Source: Notification of Ministry of Industry: The List of Hazardous Substances

ATTACHMENT 3**DEFAULT LIMIT**

(Section 3.5)

Detected residues of a specific pesticide in plant commodities shall not exceed default limits in the following table.

Pesticide	Definition of Residue	Default Limit (mg/kg)
Chlormequat	Chlormequat cation	0.1
Carbendazim/Benomyl	Sum of carbendazim /benomyl and thiophanate-methyl, expressed as carbendazim	0.1
Cypermethrin	Cypermethrin	0.02
Cyfluthrin	All isomer of cyfluthrin	0.02
Deltamethrin	Sum of deltamethrin alpha-R and trans-deltamethrin (fat soluble)	0.05
Triadimenol	Sum of triadimefon and triadimenol	0.1
Triadimefon	Sum of triadimefon and triadimenol	0.1
Thiabendazole	Plant commodities: thiabendazole	0.1
Bifenthrin	All isomer of bifenthrin (fat soluble)	0.05
Permethrin	All isomer of permethrin (fat soluble)	0.1
Fipronil	Plant commodities: fipronil (fat soluble)	0.005
Fenpropathrin	Fenpropathrin (fat soluble)	0.05
Fenvalerate	All isomer of fenvalerate (fat soluble)	0.02
Lamda-cyhalothrin	All isomer of cyhalothrin	0.05
Acephate	Acephate	0.05
Emamectin benzoate	Emamectin B1a benzoate	0.005
Omethaote	Omethaote	No residue of omethaote detected in agricultural products that. MRLs are not set.

ANNEX A

TABLE OF MAXIMUM RESIDUE LIMITS SORTING BY COMMODITY

The maximum residue limits (MRLs) shown in the following table are rearranged based on the Attachment 1 in this standard to facilitate searching.

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Basil	Fipronil	0.2
	Lambda-cyhalothrin	0.7
	Imidacloprid	20
Cauliflower	Malathion	0.5
Cabbage, head	Profenofos	1
	Fenvalerate	3
	Malathion	8
Okra	Chlorpyrifos	0.5
	Carbosulfan ⁽²⁾	0.5
	Carbosulfan ⁽³⁾	0.15
	Cypermethrin	0.5
	Dithiocarbamates ⁽⁴⁾	0.2
	Methomyl	0.5
	Lambda-cyhalothrin	0.03
	Imidacloprid	0.1
Lead tree leave	Carbaryl	0.02
	Carbosulfan ⁽²⁾	0.2
	Carbosulfan ⁽³⁾	0.2
	Omethoate	0.05
Garlic	Deltamethrin	0.1
	Dithiocarbamates ⁽⁴⁾	0.5
	Triazophos	0.05
Banana	Chlorpyrifos	2
	Deltamethrin	0.05
	Ethephon	2
Chives	Carbendazim /benomyl	3
Grapefruit	Cypermethrin	0.5
Barley	Captan	0.02
Rice, paddy	Chlorpyrifos	0.5
	Paraquat	0.05
Rice, paddy	Pirimiphos-methyl	7
	Fipronil	0.01
	Fenitrothion	6
	Acephate	1
	Imidacloprid	0.05
Sweet corn (corn-on-the-cob)	2,4-D	0.05
	Carbaryl	0.1

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Sweet corn (corn-on-the-cob)	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.01
	Cypermethrin	0.05
	Deltamethrin	0.02
	Diazinon	0.02
	Paraquat	0.05
	Pirimiphos-methyl	1
	Fenvalerate	0.1
	Fenitrothion	1
	Malathion	0.02
	Metalaxyl or metalaxyl M	0.05
	Methomyl	0.1
	Atrazine	0.1
Baby corn	2,4-D	0.05
	Carbaryl	0.1
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.01
	Cypermethrin	0.05
	Deltamethrin	0.02
	Diazinon	0.02
	Paraquat	0.05
	Pirimiphos-methyl	1
	Fenvalerate	0.1
	Fenitrothion	1
	Malathion	0.02
	Metalaxyl or metalaxyl M	0.05
	Methomyl	0.1
Atrazine	0.1	
Maize	2,4-D	0.05
	Carbaryl	0.02
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.05
	Cypermethrin	0.05
	Deltamethrin	1
	Diazinon	0.02
	Paraquat	0.03
	Pirimiphos-methyl	1
	Fenitrothion	1
	Malathion	0.05
	Metalaxyl or metalaxyl M	0.05
	Methomyl	0.02
Atrazine	0.1	
Sorghum	2,4-d	0.01

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Sorghum	Carbaryl	10
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.1
	Dimethoate	0.01
	Diazinon	0.02
	Triazophos	0.05
	Paraquat	0.03
	Malathion	3
	Methomyl	0.02
	Lambda-cyhalothrin	0.2
Rice, husked and polished	Chlorpyrifos	0.1
	Carbaryl	1
	Carbendazim / benomyl	2
	Carbosulfan ⁽²⁾	0.2
	Carbosulfan ⁽³⁾	0.1
	Sulfuryl fluoride	0.1
	2,4-d	0.1
	Dithiocarbamates ⁽⁴⁾	0.05
	Paraquat	0.05
	Pirimiphos-methyl	5
	Fipronil	0.01
	Fenitrothion	1
	Methyl bromide (bromide ion from methyl bromide from other source, except covalently bound bromine)	50
Acephate	1	
Rice, husked and polished	Imidacloprid	0.05
	Hydrogen phosphide	0.1
Rice, husked and polished (At sale point)	Methyl bromide (bromide ion from methyl bromide from other source, except covalently bound bromine)	0.01
Rice, husked and polished (At the entrance or at the point of the gas outlet to the rice, husked and polished contact with air for at least 24 hours)	Methyl bromide (bromide ion from methyl bromide from other source, except covalently bound bromine)	1
Kale	Chlorpyrifos	1
Spices, fruits or berries	Chlorpyrifos	1
	Quintozene	0.02
	Cypermethrin	0.1
	Dicofol	0.1

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Spices, fruits or berries	Dimethoate	0.5
	Diazinon	0.1
	Triazophos	0.07
	Pirimiphos-methyl	0.5
	Fenitrothion	1
	Phosalone	2
	Malathion	1
	Ethion	5
Spices, Seeds	Chlorpyrifos	5
	Quintozene	0.1
	Dicofol	0.05
	Dimethoate	5
	Diazinon	5
	Pirimiphos-methyl	3
	Phenthoate	7
	Fenitrothion	7
	Phosalone	2
	Malathion	2
	Metalaxyl or metalaxyl M	5
	Ethion	3
	Iprodione	0.05
Spices, root or rhizomes	Chlorpyrifos	1
	Quintozene	2
	Cypermethrin	0.2
	Dicofol	0.1
	Dimethoate	0.1
	Diazinon	0.5
	Triazophos	0.1
	Fenitrothion	0.1
	Phosalone	3
	Malathion	0.5
	Ethion	0.3
	Iprodione	0.1
	Spices, entire group	Dichlorvos
Permethrin		0.05
Acephate		0.2
Rambutan	Chlorpyrifos	0.5
	Carbaryl	1
	Carbendazim / benomyl	3
	Carbosulfan	0.2
	Carbosulfan / carbofuran ⁽³⁾	0.05
	Dithiocarbamates ⁽⁴⁾	2
	Folpet	0.1

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Rambutan	Methidation	0.2
	Lambda-cyhalothrin	0.5
Rose apple	Profenofos	0.05
Cherry	Ethephon	3
Celery	Chlorpyrifos	0.05
Spring onion	2,4-d	0.05
	Carbendazim / benomyl	3
	Deltamethrin	0.5
	Dithiocarbamates ⁽⁴⁾	10
	Profenofos	0.05
	Phosalone	0.5
	Malathion	5
Cucumber	Dicofol	0.5
	Dithiocarbamates ⁽⁴⁾	2
	Dimethoate	1
	Metalaxyl or metalaxyl M	0.5
Muskmelon	Dithiocarbamates ⁽⁴⁾	0.5
	Dimethoate	1
	Metalaxyl or metalaxyl M	0.2
Watermelon	Carbaryl	1
	Carbosulfan ⁽²⁾	0.2
	Dithiocarbamates ⁽⁴⁾	1
	Metalaxyl or metalaxyl M	0.2
	Methomyl	0.1
	Abamectin	0.01
Cucumber	Metalaxyl or metalaxyl M	0.5
Mung bean (dry)	Carbendazim / benomyl	0.5
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.2
	Dicofol	0.1
	Triazophos	0.2
	Prothiofos	0.05
	Methomyl	0.05
	Lambda-cyhalothrin	0.2
Mung bean (dry)	Acephate	0.3
	Omethoate	0.05
Yard-long bean (pod)	Carbosulfan ⁽²⁾	0.1
	Carbosulfan ⁽³⁾	0.1
	Cypermethrin	0.7
	Deltamethrin	0.2
	Dimethoate	0.05
	Triazophos	0.4
	Fipronil	0.04

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Yard-long bean (pod)	Fenvalerate	1
	Phosalone	0.5
	Methomyl	1
	Abamectin	0.01
	Omethoate	0.05
Bean	Ethion	0.3
Bean (dry)	Dimethoate	0.1
	Ethion	0.1
Bean (dry) except soya bean (dry)	Paraquat	0.5
Garden pea (young pea)	Carbosulfan ⁽²⁾	0.1
	Carbosulfan ⁽³⁾	0.15
	Cypermethrin	0.05
Garden pea (young pea)	Phosalone	0.5
	Abamectin	0.01
Soya bean (immature seeds)	Chlorpyrifos	1
	Chlorothalonil	2
	Carbendazim / benomyl	3
	Carbosulfan ⁽²⁾	0.5
	Carbosulfan ⁽³⁾	0.02
	Captan	5
	Cypermethrin	5
	Dithiocarbamates ⁽⁴⁾	0.2
	Fenitrothion	0.5
	Phosalone	0.5
	Methomyl	0.5
	Lambda-cyhalothrin	0.2
Soya bean (succulent seeds in pod)	Triazophos	1
Soya bean (succulent seeds)	Triazophos	0.5
Soya bean (dry)	Chlorpyrifos	0.1
	Chlorothalonil	0.2
	Carbendazim / benomyl	0.5
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.1
	Captan	5
	Cypermethrin	0.05
	Dicofol	0.05
	Dithiocarbamates ⁽⁴⁾	0.1
	Triazophos	0.05
	Paraquat	0.1
	Profenofos	0.05
Fenvalerate	0.1	

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Soya bean (dry)	Fenitrothion	0.5
	Phosalone	0.05
	Methomyl	0.2
	Lambda-cyhalothrin	0.2
	Acephate	0.3
	Omethoate	0.05
Durian	Chlorpyrifos	0.4
	Carbaryl	30
	Carbosulfan ⁽²⁾	0.2
	Carbosulfan ⁽³⁾	0.02
	Clothianidin	0.9
	Cypermethrin	1
	Dithiocarbamates ⁽⁴⁾	2
	Profenofos	0.05
	Phosalone	1
	Metalaxyl or metalaxyl M	0.5
	Methidation	0.2
	Lambda-cyhalothrin	0.5
	Ethephon	2
Custard apple	Methidation	0.2
Soya bean oil	Methomyl	0.2
Cotton seed oil	Profenofos	0.05
	Methomyl	0.04
Brocoli	Malathion	5
Brocoli and Cauliflower	Lambda-cyhalothrin	0.5
Angled loofah	Metalaxyl or metalaxyl M	0.2
Tea	Diazinon	0.1
	Fenitrothion	0.5
	Ametryn	0.05
Mulberry leaves	Carbendazim / benomyl	0.1
	Phosalone	0.1
Oil plam	Chlorpyrifos	0.05
	Carbaryl	0.05
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.1
	Captan	5
	Deltamethrin	0.05
	Dithiocarbamates ⁽⁴⁾	0.1
	Pirimiphos-methyl	0.1
	Fenvalerate	0.5
	Lambda-cyhalothrin	0.2
Fruit (inedible peel), except citrus fruit	Paraquat	0.01

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Citrus fruit	Carbaryl	7
	Carbosulfan ⁽²⁾	0.1
	Carbosulfan ⁽³⁾	0.02
	Dichlorvos	0.2
	Dithiocarbamates ⁽⁴⁾	2
	Dimethoate	5
	Paraquat	0.02
	Phosalone	1
	Malathion	7
	Metalaxyl or metalaxyl M	5
	Methidation	0.5
	Methomyl	1
	Abamectin	0.01
Citrus fruit except pummelos and lime	Profenofos	0.1
Citrus fruit except pummelos and grapefruit	Cypermethrin	0.3
Flowering white cabbage	Deltamethrin	2
	Abamectin	0.01
Lettuce, head	Chlorpyrifos	0.1
Chinese cabbage	Chlorothalonil	1
	Deltamethrin	2
	Diazinon	0.05
	Fenvalerate	1
	Malathion	8
Chinese cabbage	Chlorothalonil	1
	Dithiocarbamates ⁽⁴⁾	5
Broccoli, Chinese	Chlorothalonil	4
	Deltamethrin	2
	Dithiocarbamates ⁽⁴⁾	15
	Diazinon	0.05
	Fenvalerate	3
	Malathion	3
	Metalaxyl or metalaxyl M	2
	Abamectin	0.01
Brassica vegetables	Carbaryl	1
	Carbosulfan ⁽²⁾	0.5
	Carbosulfan ⁽³⁾	0.03
	Cypermethrin	1
	Phosalone	0.5
	Abamectin	0.01
Brassica vegetables except Cabbage, head	Deltamethrin	0.1
	Profenofos	0.5

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Brassica vegetables, except Broccoli and Cauliflower	Lambda-cyhalothrin	0.3
Brassica vegetables except Chinese cabbage and Broccoli, Chinese	Diazinon	0.5
	Fenvalerate	2
Water spinach	Dithiocarbamates ⁽⁴⁾	0.3
	Metalaxyl or metalaxyl M	2
Leafy vegetables	Paraquat	0.07
Fruiting vegetables, cucurbits	Paraquat	0.02
Melon, except watermelon	Carbaryl	2
	Carbosulfan ⁽²⁾	0.5
	Methomyl	0.1
Melon except cucumber and Watermelon	Dithiocarbamates ⁽⁴⁾	0.5
Root and tuber vegetables	Paraquat	0.05
Taro	Dithiocarbamates ⁽⁴⁾	0.1
	Metalaxyl or metalaxyl M	0.5
Peppers, Chili	Chlorpyrifos	3
	Carbaryl	0.5
	Carbendazim / benomyl)	2
	Carbosulfan) ⁽²⁾	0.5
	Carbosulfan ⁽³⁾	0.5
Peppers, chili	Cypermethrin	2
	Deltamethrin	0.1
	Dithiocarbamates ⁽⁴⁾	3
	Prothiofos	3
	Profenofos	3
	Phosalone	0.5
	Malathion	0.1
	Methomyl	1
	Lambda-cyhalothrin	0.3
	Abamectin	0.005
	Ethion	3
Peppers	Metalaxyl or metalaxyl M	0.05
Peppers, sweet	Chlorpyrifos	2
	Carbaryl	5
	Dithiocarbamates ⁽⁴⁾	1
	Profenofos	0.5
	Phosalone	0.5

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Peppers, sweet	Lambda-cyhalothrin	0.3
	Abamectin	0.09
Peppers, chili (dried)	Chlorpyrifos	20
	Carbaryl	2
	Carbendazim/benomyl	20
	Carbosulfan ⁽²⁾	5
	Carbosulfan ⁽³⁾	2
	Cypermethrin	10
	Deltamethrin	1
	Dithiocarbamates ⁽⁴⁾	20
	Prothiofos	20
	Profenofos	20
	Phosalone	4
	Malathion	1
	Methomyl	10
	Lambda-cyhalothrin	3
	Abamectin	0.5
	Ethion	20
Betel leaves	Metalaxyl or metalaxyl M	0.05
Jujube, Indian	Triazophos	0.03
Pear	Methidation	0.1
	Methomyl	0.3
Pumpkins	Dithiocarbamates ⁽⁴⁾	0.2
	Metalaxyl or metalaxyl M	0.2
Wax gourd	Metalaxyl or metalaxyl M)	0.2
Eggplant and eggplant-like except tomato	Chlorpyrifos	0.2
	Carbosulfan ⁽²⁾	0.03
	Carbosulfan ⁽³⁾	0.1
	Cypermethrin	0.03
	Phosalone	0.5
	Methomyl	0.2
	Lambda-cyhalothrin	0.3
Tomato	Chlorothalonil	5
	Carbosulfan ⁽³⁾	0.1
	Carbendazim / benomyl	0.5
	Carbosulfan	0.5
	Cypermethrin	0.2
	Deltamethrin	0.3
	Dicofol	1
	Dithiocarbamates ⁽⁴⁾	2
	Dimethoate	2
	Paraquat	0.05
	Profenofos	10

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Tomato	Fenvalerate	1
	Phosalone	0.5
	Malathion	0.5
	Metalaxyl or metalaxyl M	0.2
	Methomyl	1
	Lambda-cyhalothrin	0.3
Thai egg plant	Abamectin	0.02
Lime	Profenofos	0.05
	Ethion	1
Coconut	Chlorpyrifos	0.05
	Carbaryl	1
	Carbosulfan ⁽²⁾	0.2
	Carbosulfan ⁽³⁾	0.02
Mango	Carbaryl	3
	Carbendazim / benomyl	2
	Captan	5
	Cypermethrin	0.7
	Deltamethrin	0.2
	Dithiocarbamates ⁽⁴⁾	2
	Dinotefuran	0.5
	Difenoconazole	0.6
	Thiamethoxam ⁽⁵⁾	0.2
	Thiamethoxam ⁽⁶⁾	0.04
Mango	Prochloraz	7
	Profenofos	0.2
	Fenvalerate	1.5
	Lambda-cyhalothrin	0.2
	Azoxystrobin	0.7
	Imidacloprid	0.4
	Ethephon	2
Papaya	Cypermethrin	0.5
Mangosteen	Carbaryl	1
	Carbosulfan ⁽²⁾	0.02
	Carbosulfan ⁽³⁾	2
	Profenofos	10
	Phosalone	1
	Imidacloprid	0.4
Sweet potato	Chlorpyrifos	0.05
	Carbosulfan ⁽²⁾	0.05
Potato	Chlorothalonil	0.2
	Carbaryl	0.2
	Carbosulfan	0.05
	Dithiocarbamates ⁽⁴⁾	0.2

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Potato	Paraquat	0.05
	Prothiofos	0.05
	Profenofos	0.05
	Famoxadone	0.02
	Fenvalerate	0.05
	Metalaxyl or metalaxyl M	0.05
	Methomyl	0.02
	Acephate	0.5
Casava	Malathion	0.5
	Omethoate	0.02
Coffee bean	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	1
	Deltamethrin	2
	Diazinon	0.2
	Triazophos	0.05
	Fenitrothion	0.05
	Acephate	0.05
	Ametryn	0.05
	Omethoate	0.05
Cacao beans	Carbaryl	0.02
	Carbosulfan ⁽²⁾	0.05
Cacao beans	Carbosulfan ⁽³⁾	0.05
	Deltamethrin	0.05
	Triazophos	0.05
	Pirimiphos-methyl	0.05
	Lambda-cyhalothrin	0.02
	Acephate	0.05
Sesame seed	Carbosulfan	0.2
	Carbosulfan /carbofuran ⁽³⁾	0.1
	Triazophos	0.05
	Methomyl	0.2
	Lambda-cyhalothrin	0.2
Peanut	Chlorpyrifos	0.05
	Chlorothalonil	0.1
	Carbaryl	2
	Carbendazim / benomyl	0.1
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.1
	Captan	5
	Deltamethrin	0.01
	Dithiocarbamates ⁽⁴⁾	0.1
	Triazophos	0.05
	Prothiofos	0.05

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Peanut	Fenvalerate	0.1
	Methomyl	0.1
	Acephate	0.2
Sunflower seed	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.05
	Triazophos	0.05
Cereal grain	Dichlorvos	0.2
Kapok seed	Pirimiphos-methyl	0.1
	Lambda-cyhalothrin	0.02
Cotton seed	Carbendazim / benom	0.1
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan / carbofuran ⁽³⁾	0.1
	Captan	5
	Cypermethrin	0.1
	Deltamethrin	0.05
	Dimethoate	0.05
	Diazinon	0.1
	Buprofezin	0.35
	Paraquat	2
	Profenofos	3
	Fipronil	0.01
	Fenvalerate	0.2
	Phosalone	1
	Methomyl	0.2
	Lambda-cyhalothrin	0.02
	Acephate	2
	Abamectin	0.01
Omethoate	0.05	
Cashew Nut	Carbaryl	1
	Deltamethrin	0.02
	Pirimiphos-methyl	0.1
Linseed	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.1
Basil	Lambda-cyhalothrin	0.7
	Amidacloprid	20
Basil	Lambda-cyhalothrin	0.7
	Amidacloprid	20
Longan	Chlorpyrifos	0.9
	Carbaryl	20
	Cypermethrin	1
	Fenvalerate	1
	Lambda-cyhalothrin	0.2
	Amitraz	2

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Longan	Imidacloprid	0.8
Litchi	Chlorpyrifos	2
	Carbaryl	1
	Cypermethrin	2
	Fenvalerate	1
	Lambda-cyhalothrin	0.5
Strawberry	Paraquat	0.01
Mandarins	Imidacloprid	1
	Ethion	2
Pummelo	Cypermethrin	0.5
	Profenofos	2
	Malathion	0.2
	Ethion	1
Pineapple	2,4-d	0.05
	Deltamethrin	0.01
	Metalaxyl or metalaxyl M	0.1
	Atrazine	0.1
Pineapple	Ametryn	0.05
	Ethephon	2
Asparagus	Carbendazim / benomyl	0.2
	Carbosulfan ⁽²⁾	0.02
	Carbosulfan ⁽³⁾	0.06
	Cypermethrin	0.4
	Deltamethrin	0.1
	Dithiocarbamates ⁽⁴⁾	0.1
	Phosalone	0.5
	Methomyl	2
	Lambda-cyhalothrin	0.02
Shallot	Chlorpyrifos	0.2
	Carbendazim / benomyl	3
	Cypermethrin	0.1
	Deltamethrin	0.1
	Dithiocarbamates ⁽⁴⁾	0.5
	Dimethoate	0.05
	Triazophos	0.05
	Profenofos	0.05
	Phosalone	0.5
	Malathion	1
	Methomyl	0.2
Onion, bulb	Chlorpyrifos	0.2
	Carbendazim / benomyl	2
	Cypermethrin	0.01
	Deltamethrin	0.05

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
	Dithiocarbamates ⁽⁴⁾	0.5
	Dimethoate	0.05
	Triazophos	0.05
	Tebuconazole	0.1
	Profenofos	0.05
	Phosalone	0.5
	Malathion	1
	Metalaxyl or metalaxyl M	2
	Methomyl	0.2
Mushroom	Chlorpyrifos	0.05
Basil	Fipronil	0.2
	Lambda-cyhalothrin	0.7
	Amidacloprid	20
Grape	Carbaryl	0.5
	Carbendazim / benomyl	3
Grape	Carbosulfan ⁽²⁾	0.1
	Carbosulfan ⁽³⁾	0.02
	Captan	10
	Dithiocarbamates ⁽⁴⁾	2
	Triazophos	0.02
	Paraquat	0.01
	Profenofos	0.05
	Metalaxyl or metalaxyl M	1
	Methidation	0.1
	Methomyl	0.3
Ethephon	1	
Sugar cane	Carbaryl	0.05
	Carbendazim / benomyl	0.1
	Cypermethrin	0.2
	Deltamethrin	0.05
	Malathion	0.02
	Atrazine	0.1
	Ametryn	0.05
Apple	Methidation	0.1
	Methomyl	0.3
	Ethephon	1
Egg	2,4-d	0.01
	Chlorpyrifos	0.01
	Carbaryl	0.05
	Carbendazim / benomyl	0.05
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.01
	Cypermethrin	0.05

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
	Deltamethrin	0.02
	Dicofol	0.05
	Dithiocarbamates ⁽⁴⁾	0.05
	Dimethoate	0.05
	Diazinon	0.02
	Paraquat	0.005
	Pirimiphos-methyl	0.01
	Profenofos	0.02
	Fenitrothion	0.05
	Methidation	0.02
	Methomyl	0.02
	Acephate	0.01
	Abamectin	0.01
	Ethephon	0.2
Edible offal of goat and sheep	Chlorpyrifos	0.01
	Deltamethrin	0.03
Cattle, edible offal of	Chlorpyrifos	0.01
	Deltamethrin	0.03
	Dicofol	1
Poultry, edible offal of	2,4-d	0.05
	Chlorpyrifos	0.01
	Carbendazim / benomyl	0.1
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.01
	Cypermethrin	0.05
	Deltamethrin	0.02
	Dicofol	0.05
	Dithiocarbamates ^{3/}	0.1
	Dimethoate	0.05
	Diazinon	0.02
	Paraquat	0.005
	Pirimiphos-methyl	0.01
	Profenofos	0.05
	Methidation	0.02
	Methomyl	0.02
	Acephate	0.01
	Abamectin	0.02
Ethephon	0.2	
Edible offal (Mammalian)	2,4-d	1
	Carbaryl	1
	Carbendazim / benomyl	0.05
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.05

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Edible offal (Mammalian)	Cypermethrin	0.05
	Dithiocarbamates ⁽⁴⁾	0.1
	Dimethoate	0.05
	Diazinon	0.03
	Paraquat	0.05
	Pirimiphos-methyl	0.01
	Profenofos	0.05
	Fenvalerate	0.02
	Methidation	0.02
	Methomyl	0.02
	Acephate	0.05
	Abamectin	0.1
	Ethephon	0.2
Pig, Edible offal of	Chlorpyrifos	0.01
	Deltamethrin	0.03
Milk	2,4-d	0.01
	Chlorpyrifos	0.02
	Carbaryl	0.05
	Carbendazim / benomyl	0.05
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.01
	Cypermethrin	0.05F
	Deltamethrin	0.05F
	Dichlorvos	0.02
	Dicofol	0.1F
	Dithiocarbamates ⁽⁴⁾	0.05
	Dimethoate	0.05
	Diazinon	0.02 F
	Triazophos	0.01
	Paraquat	0.005
	Pirimiphos-methyl	0.01
	Profenofos	0.01
	Fenvalerate	0.1 F
	Fenitrothion	0.01
	Methidation	0.001
	Methomyl	0.02
	Acephate	0.02
	Abamectin	0.005
Ethephon	0.05	
Meat of goat and sheep	Chlorpyrifos	1 (fat)
	Deltamethrin	0.5 (fat)
Cattle meat	Deltamethrin	0.5 (fat)
	Chlorpyrifos	1 (fat)

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
Cattle meat	Carbendazim / benomyl	0.05
	Dicofol	3 (fat)
	Triazophos	0.01
Poultry meat	2,4-d	0.05
	Chlorpyrifos	0.01(fat)
	Carbaryl	0.05
	Carbendazim / benomyl	0.05
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.01
	Cypermethrin	0.1(fat)
	Deltamethrin	0.1 (fat)
Poultry meat	Dichlorvos	0.05
	Dicofol	0.1 (fat)
	Dithiocarbamates ⁽⁴⁾	0.1
	Dimethoate	0.05
	Diazinon	0.02
	Triazophos	0.01
	Paraquat	0.005
	Pirimiphos-methyl	0.01
	Profenofos	0.05
	Fenitrothion	0.05
	Methidation	0.02
	Methomyl	0.02
	Acephate	0.01
	Abamectin	0.01
	Ethephon	0.1
Meat (from mammals other than marine mammals)	2,4-d	0.2
	Carbaryl	0.05
	Carbosulfan ⁽²⁾	0.05
	Carbosulfan ⁽³⁾	0.05
	Cypermethrin	2 (fat)
	Dichlorvos	0.05
	Dithiocarbamates ⁽⁴⁾	0.05
	Dimethoate	0.05
	Diazinon	2 (fat)
	Paraquat	0.005
	Pirimiphos-methyl	0.01
	Profenofos	0.05
	Fenvalerate	1 (fat)
	Fenitrothion	0.05
	Methidation	0.02
Methomyl	0.02	
Acephate	0.05	

Commodity	Pesticide ⁽¹⁾	MRL mg/kg
	Abamectin	0.01
	Ethephon	0.1
Pig meat	Chlorpyrifos	0.02 (fat)
	Deltamethrin	0.5 (fat)
Chicken fats	Cypermethrin	0.1
Poultry fats	Carbendazim / benomyl	0.05
	Deltamethrin	0.1 (fat)
	Dimethoate	0.05
Fat (Mammalian)	Dimethoate	0.05
	Abamectin	0.1

Explanatory notes

- (1) Annex A illustrates only pesticides and their MRLs without the definition of residues. The definition of residues shall be found in Attachment 1 of this standard.
- (2) Residue from the use of carbosulfan is analysed as the definition of residue in the form of carbosulfan.
- (3) Residue from the use of carbosulfan is analysed as the definition of residue in the sum of carbofuran and 3- hydroxycarbofuran, expressed as carbofuran.
- (4) Group of dithiocarbamates includes zineb, thiram, propineb, maneb, and mancozeb.
- (5) Residues from the use of thiamethoxam is analysed as the definition of residue in the form of thiamethoxam.
- (6) Residues from the use of thiamethoxam is analysed as the definition of residue in the form of clothianidin.